

## Acceptable COVID Passes



**NHS**

2D barcode valid for all places that are using the NHS COVID Pass service

Name:



2D barcode expires:

13 January 2022 at 3.45 PM

### How to use your NHS COVID Pass

#### Understanding your 2D barcode

This 2D barcode has been issued by the NHS based on your test and vaccination results to help verify that you've been vaccinated against COVID-19 - or tested negative.

#### What does the code show?

Scanning the code will show your name, confirm your test or vaccination, and an expiry date. The duration of its validity depends on whether you were tested or vaccinated.

#### What can I do with this code?

These 2D barcodes are being issued as part of the NHS COVID PASS service. If you need to prove your COVID-19 status at settings that have opted in, show this 2D barcode so it can be scanned with the NHS COVID Pass verifier. You must continue to follow all destination and government guidelines, including the wearing of masks and social distancing.

#### What to do when my barcode expires?

Your 2D barcode expires 30 days from the date of issue. You can generate a new one by logging in to the NHS App, visiting the NHS COVID Pass section, then download or email yourself a new PDF copy.



Date of birth:

Your NHS COVID Pass expires  
13 January 2022 at 4.01pm



 Valid

# Acceptable COVID Passes



**SAMPLE COVID PASS**

Barcode: 27957868625LHM75BRIMO

Your unique reference  
Use this to confirm your NHS COVID Pass

NHS SCOTLAND  
HSC GIG STRAETH NHS WALES

02 August 2021

**This is your NHS COVID Pass. Keep it safe.**  
This document is important. It confirms that you have been vaccinated.

Name: DAY, PAMELA  
Date of birth: 05 May 1945

Your NHS record now shows you have received two doses of the COVID-19 Vaccine AstraZeneca.

Dose 1 of 2		Dose 2 of 2	
Date	27 January 2021	Date	03 April 2021
Vaccine manufacturer	AstraZeneca AB	Vaccine manufacturer	AstraZeneca AB
Disease targeted	COVID-19	Disease targeted	COVID-19
Vaccine product	Vaxzevria	Vaccine product	Vaxzevria
Vaccine / prophylaxis	SARS-CoV-2 antigen vaccine	Vaccine / prophylaxis	SARS-CoV-2 antigen vaccine
Batch	PV48662	Batch	PV48673
Country of vaccination	GB	Country of vaccination	GB
Administering centre	HORFIELD HEALTH CENTRE - COVID LOCAL VACCINATION SERVICE	Administering centre	BRISTOL ASHTON GATE - COVID VACCINATION CENTRE

Find out about COVID-19 symptoms, testing, vaccination and self-isolation on the NHS website: [www.nhs.uk/coronavirus](http://www.nhs.uk/coronavirus)

**Data Protection:** The Department for Health and Social Care (DHSC) is the Data Controller and is responsible for processing your personal data for the purposes of the NHS COVID Pass Programme. To find out more you can access the DHSC Privacy Notice at: [www.gov.uk/government/publications/dhsc-privacy-notice](http://www.gov.uk/government/publications/dhsc-privacy-notice). The NHS COVID Pass Privacy Notice is available within the guidance at: [www.gov.uk/guidance/demonstrating-your-covid-19-status](http://www.gov.uk/guidance/demonstrating-your-covid-19-status)

## NHS COVID Pass - Vaccinated

Name

check against the bearer's identity.

This document is important. Keep it safe. It is a PDF copy of your vaccination records.

**SAMPLE COVID PASS**

**SAMPLE COVID PASS**

Pfizer/BioNTech COVID-19 [Booster]		Pfizer/BioNTech COVID-19 vaccine	
2D barcode expiry	13 January 2022	2D barcode expiry	13 January 2022
To protect your data privacy the 2D barcode expires after 30 days. Please generate a new COVID-19 Pass to barcode.		To protect your data privacy the 2D barcode expires after 30 days. Please generate a new COVID-19 Pass to renew the barcode.	
Dose	3 of 3	Dose	2 of 2
Date of vaccination	24 September 2021	Date of vaccination	24 March 2021
Vaccine product	Comirnaty	Vaccine product	Comirnaty
Manufacturer	Biontech Manufacturing GmbH	Manufacturer	Biontech Manufacturing GmbH
Vaccine	SARS Cov-2 mRNA Vaccine	Vaccine	SARS Cov-2 mRNA Vaccine
Batch number	FF8222	Batch number	ER1741
Disease targeted	COVID-19	Disease targeted	COVID-19
Country of vaccination	GB	Country of vaccination	GB
Issuer	NHS Digital	Issuer	NHS Digital
Administering centre	-	Administering centre	-

## Acceptable Lateral Flow Test Result



Today 06:44

Dear [REDACTED]  
Birth date:  
[REDACTED]  
Test date: 15/12/2021

Your coronavirus lateral flow test result is negative. It's likely you are not infectious. But a negative test is not a guarantee, and there's still a chance you may be infectious.

To stay safe:  
- Get vaccinated

**This may also come in email form but the wording will be the same, please look for the date of the test which should be the day before a game or the day of a game.**